

IN THE CLAIMS

Please amend the claims as follows. The currently pending claims are provided below in clean format, and a version showing changes follows the Remarks section.

Those claims that have not been amended are denoted as "Unchanged". Claims that have been added are denoted as "New".

1 1. (Once Amended) A method of machine learning using a training process
2 to train a learning system, the method comprising:
3 presenting queries to non-expert netizens over a network, the netizens
4 participating in the training process;
5 continually updating the system and refining the queries based on responses to
6 the queries provided by the netizens.

Sub C 7
1 2. (Unchanged) The method of claim 1, wherein the system has certain
2 goals including accumulating data.

1 3. (Unchanged) The method of claim 2, wherein at least one goal comprises
2 a goal selected from among the following: handwriting recognition, voice recognition,
3 building a database of queries to recognize an object, building a database of common
4 sense.

1 4. (Unchanged) The method of claim 1, further comprising providing access
2 to a domain expert to resolve conflicts between the responses of netizens, if a conflict
3 arises.

Sub C¹ 7

1 5. (Unchanged) The method of claim 1, wherein the queries are multiple
2 choice queries.

1 6. (Unchanged) The method of claim 2, wherein the goals of the system
2 evolve as the system is updated.

1 7. (Unchanged) The method of claim 6, wherein the goals comprise a
2 plurality of intermediate goals, that change in response to the responses while
3 approaching a final goal.

1 8. (Unchanged) The method of claim 7, wherein one of the plurality of
2 intermediate goals is to recognize a certain letter of the alphabet in handwriting.

1 9. (Unchanged) The method of claim 7, wherein one of the plurality of
2 intermediate goals is to recognize a sound corresponding to a certain set of letters, in
3 context.

1 10. (Unchanged) The method of claim 1, wherein setting up the system
2 comprises:
3 implementing a plurality of rules for presenting questions;
4 implementing an architecture for interacting with the netizens to enable netizens
5 e to access the system; and
6 generating a database for storing the responses.

1 11. (Unchanged) The method of claim 10, further comprising:
2 evaluating a reliability rating for each of the netizens; and
3 weighting the response of each of the netizens according to the reliability rating.

1 12. (Unchanged) A system coupled to a network to present queries to and
2 receive responses from a plurality of netizens over the network, the system comprising:
3 a user interface to present the queries and receiving the responses;
4 a data aggregation logic to organize the responses;
5 a query formulation logic to formulate a next query based on the plurality of
6 responses to the last query.

At Sub C 7
1 13. (Unchanged) The system of claim 12, further comprising:
2 reliability evaluation logic to weight each response according to a reliability of the
3 netizen providing the response.

1 14. (Unchanged) The system of claim 12, further comprising:
2 conflict resolution logic to resolve conflicts between responses provided by the
3 netizens using domain experts.

1 15. (Unchanged) A method of data aggregation over a network comprising:
2 presenting a question to a plurality of participants over a network;
3 receiving responses to the question;
4 analyzing the plurality of responses to the question from the plurality of
5 participants; and
6 formulating a next question based on the plurality of responses; and
7 presenting the next question to the plurality of participants.

1 16. (Unchanged) A method of interacting with a user comprising:
2 presenting a query to the user over a network;

Sub C'7

3 receiving a response to the query from the user, the response transmitted to a
4 learning system;
5 informing the user of a result generated based on the response to the query,
6 such that the user is rewarded by being informed of the content and state of data being
7 gathered based on the response.

1 17. (Once Amended) A machine readable medium having stored thereon
2 data representing sequences of instructions, which when executed by a computer
3 system, cause said computer system to perform the steps of:
4 presenting queries to non-expert netizens over a network, the netizens
5 participating in a training process of a learning system;
6 continually updating the learning system and refining the queries based on
7 responses to the queries provided by the netizens.

1 18. (Unchanged) The machine readable medium of claim 17, wherein the
2 system includes a plurality of goals, and one of the goals is to accumulate data.

1 19. (Unchanged) A computer data signal embodied in a carrier wave
2 comprising:
3 a user interaction code segment to present queries to and receive responses
4 from netizens; and
5 a response evaluation code segment to evaluate the responses; and
6 a training code segment to update the system and refine the queries based on
7 the responses to the queries provided by the netizens.

1 20. (Once Amended) A system for implementing a training process
2 comprising:

3 a means for presenting queries to and receiving responses from non-expert
4 netizens over a network, the netizens participating in the training process;
5 a means for continually updating the system and refining the queries based on
6 the responses to the queries provided by the netizens.

Sub C
1 21. (Unchanged) The system for training of claim 20, further comprising:
2 a means for storing the responses of the netizens; and
3 a means for weighting the responses of each netizens based on a reliability of
4 the netizen.

1 22. (Unchanged) The system for training of claim 20, further comprising:
2 a means for rewarding the netizens for participation in training the system.
